



شرکت تسهیل گستران امن



لیست اردیبهشت ماه ۱۴۰۱



HOTCAM
CCTV Camera



09301072339
041-35562599



dorbinhosseyini



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کوچه دکتر نوائی-روبروی
مسجد قلعه بیگی
شرکت تسهیل گستران امن



Hotcam.ir



مدل

مشخصات محصولات

قیمت

1	TG-AHC-BW2661-N-E 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Medium Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1)		1.108.000T
2	TG-AHC-BW2667-N-E 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Medium Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1)		1.124.000T
3	TG-AHC-BW2661-N 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Medium Case . IP66 - Warm Light . 40M - Menu : UTC (4 in 1)		1.366.000T
4	TG-AHC-DW2117-N 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Dome Case. IP66 - Warm Light . 40M - Menu : UTC(4 in 1)		1.375.000T
5	TG-AHC-DW2116-N 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Plastic-Metal & Dome Case. IP66 - Warm Light . 40M - Menu : UTC(4 in 1)		1.383.000T
6	TG-AHC-BW2667-N 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Medium case. IP66 - Warm Light . 40M - Menu : UTC(4 in 1)		1.385.000T
7	TG-AHC-BW2651-N 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Medium case. IP66 - Warm Light . 40M - Menu : UTC(4 in 1)		1.389.000T
8	TG-AHC-DW2110-N 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Dome Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1)		1.389.000T

مدل	مشخصات محصولات	قیمت
9 TG-AHC-DW2111-N 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Dome Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1) 	1.395.000T
10 TG-AHC-BW2654-N 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Medium Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1) 	1.395.000T
11 TG-AHC-BW2656-N 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Medium Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1) 	1.395.000T
12 TG-AHC-BW2653-N 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Medium Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1) 	1.399.000T
13 TG-AHC-BW2652-N 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Medium Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1) 	1.399.000T
14 TG-AHC-BW2995-N Large Case 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Large Case . IP66 - Warm Light . 50M - Menu : UTC(4 in 1) 	1.710.000T
15 TG-AHC-BW2770-N Large Case 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Large Case . IP66 - Warm Light . 50M - Menu : UTC(4 in 1) 	1.663.000T
16 TG-AHC-BW2994-N Large Case 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Large Case . IP66 - Warm Light . 50M - Menu : UTC (4 in 1) 	1.720.000T
17 TG-AHC-BW2991-N Large Case 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Large case. IP66 - Warm Light . 50M - Menu : UTC(4 in 1) 	1.720.000T
18 TG-AHC-BW2992-N Large Case 	1/2.9" Image Sensor - Lens : 3.6 mm 3MP - Frame : 25 fp/s - Resolution : 2 Megapixels - Metal & Large Case . IP66 - Warm Light . 50M - Menu : UTC(4 in 1) 	1.925.000T

مدل	مشخصات محصولات	قیمت
19 TG-AHC-BW5667-S 	• 1/2.9" Image Sensor • Lens : 3.6 mm 5MP Starlight • Frame : 12.5 fp/s • Resolution : 5 Megapixels • Metal & Medium Case . IP66 • Warm Light . 40M • Menu : UTC(4 in 1)	 1.619.000T
20 TG-AHC-DW5117-S 	• 1/2.9" Image Sensor • Lens : 3.6 mm 5MP Starlight • Frame : 12.5 fp/s • Resolution : 5 Megapixels • Metal & Dome Case . IP66 • Warm Light . 40M • Menu : UTC(4 in 1)	 1.625.000T
21 TG-AHC-DW5116-S 	• 1/2.9" Image Sensor • Lens : 3.6 mm 5MP Starlight • Frame : 12.5 fp/s • Resolution : 5 Megapixels • Metal & Dome Case . IP66 • Warm Light . 40M • Menu : UTC(4 in 1)	 1.629.000T
22 TG-AHC-BW5651-S 	• 1/2.9" Image Sensor • Lens : 3.6 mm 5MP Starlight • Frame : 12.5 fp/s • Resolution : 5 Megapixels • Metal & Medium Case . IP66 • Warm Light . 40M • Menu : UTC(4 in 1)	 1.639.000T
23 TG-AHC-BW5652-S 	• 1/2.9" Image Sensor • Lens : 3.6 mm 5MP Starlight • Frame : 12.5 fp/s • Resolution : 5 Megapixels • Metal & Medium Case . IP66 • Warm Light . 40M • Menu : UTC(4 in 1)	 1.639.000T
24 TG-AHC-DW5110-S 	• 1/2.9" Image Sensor • Lens : 3.6 mm 5MP Starlight • Frame : 12.5 fp/s • Resolution : 5 Megapixels • Metal & Dome Case . IP66 • Warm Light . 40M • Menu : UTC(4 in 1)	 1.642.000T
25 TG-AHC-DW5111-S 	• 1/2.9" Image Sensor • Lens : 3.6 mm 5MP Starlight • Frame : 12.5 fp/s • Resolution : 5 Megapixels • Metal & Dome Case . IP66 • Warm Light . 40M • Menu : UTC(4 in 1)	 1.642.000T
26 TG-AHC-BW5654-S 	• 1/2.9" Image Sensor • Lens : 3.6 mm 5MP Starlight • Frame : 12.5 fp/s • Resolution : 5 Megapixels • Metal & Medium case. IP66 • Warm Light . 40M • Menu : UTC(4 in 1)	 1.645.000T
27 TG-AHC-BW5656-S 	• 1/2.9" Image Sensor • Lens : 3.6 mm 5MP Starlight • Frame : 12.5 fp/s • Resolution : 5 Megapixels • Metal & Medium Case . IP66 • Warm Light . 40M • Menu : UTC(4 in 1)	 1.647.000T



09301072339
041-35562599



dorbinhosseyini



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کوهه دکتر نوالی
روبروی مسجد قلعه بیگی
شرکت تسهیل گستران امن

مدل	مشخصات محصولات	قیمت
28 TG-AHC-BW5653-S 	1/2.9" Image Sensor - Lens : 3.6 mm 5MP Starlight - Frame : 12.5 fp/s - Resolution : 5 Megapixels - Metal & Medium Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1)	1.649.000T 
29 TG-AHC-BW5770-S 	1/2.9" Image Sensor - Lens : 3.6 mm 5MP Starlight - Frame : 12.5 fp/s - Resolution : 5 Megapixels - Metal & Large Case . IP66 - Warm Light . 50M - Menu : UTC(4 in 1)	1.817.000T 
30 TG-AHC-BW5994-S 	1/2.9" Image Sensor - Lens : 3.6 mm 5MP Starlight - Frame : 12.5 fp/s - Resolution : 5 Megapixels - Metal & Large Case . IP66 - Warm Light . 50M - Menu : UTC(4 in 1)	1.971.000T 
31 TG-AHC-BW5992-S 	1/2.9" Image Sensor - Lens : 3.6 mm 5MP Starlight - Frame : 12.5 fp/s - Resolution : 5 Megapixels - Metal & Large Case . IP66 - Warm Light . 50M - Menu : UTC(4 in 1)	2.222.000T 
32 TG-AHC-BW5661-H1 	1/2.9" Image Sensor - Lens : 3.6 mm 5MP Starlight - Frame : 12.5 fp/s - Resolution : 5 Megapixels - Metal & Medium Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1)	2.233.000T 
33 TG-AHC-BW5667-H1 	1/2.9" Image Sensor - Lens : 3.6 mm 5MP Starlight - Frame : 12.5 fp/s - Resolution : 5 Megapixels - Metal & Medium Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1)	2.245.000T 
34 TG-AHC-DW5114-H1 	1/2.9" Image Sensor - Lens : 3.6 mm 5MP Starlight - Frame : 12.5 fp/s - Resolution : 5 Megapixels - Metal & Dome Case - Warm Light . 40M - Menu : UTC(4 in 1)	2.257.000T 
35 TG-AHC-BW5653-H1 	1/2.9" Image Sensor - Lens : 3.6 mm 5MP Starlight - Frame : 12.5 fp/s - Resolution : 5 Megapixels - Metal & Medium Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1)	2.258.000T 
36 TG-AHC-BW5656-H1 	1/2.9" Image Sensor - Lens : 3.6 mm 5MP Starlight - Frame : 12.5 fp/s - Resolution : 5 Megapixels - Metal & Medium case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1)	2.258.000T 
37 TG-AHC-BW5770-H1 	1/2.9" Image Sensor - Lens : 3.6 mm 5MP Starlight - Frame : 12.5 fp/s - Resolution : 5 Megapixels - Metal & Dome Case . IP66 - Warm Light . 40M - Menu : UTC(4 in 1)	2.356.000T 

- 1/2.9" Image Sensor
- Lens : 5MP
- PCB : 335 Sony
- Resolution : 5 Megapixels
- Metal & Large Case . IP66
- Warm light . 100M
- 36X Zoom



09301072339
041-35562599



dorbinhosseyni



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز- سه راه امین- کوچه دکتر نوائی
روبروی مسجد قلعه بیگی
شرکت تسهیل گستران امن

مدل

مشخصات محصولات

قیمت

38 TG-IPC-BW4667-F4-mic



- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 4 Megapixels
- Metal & Medium Case . IP66
- Warm Light . 40M
- Menu : UTC



1.724.000T

39 TG-IPC-BW4656-F4-mic



- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 4 Megapixels
- Metal & Medium Case . IP66
- Warm Light . 40M
- Menu : UTC



1.747.000T

40 TG-IPC-BW4654-F4-mic



- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 4 Megapixels
- Metal & Medium Case . IP66
- Warm Light . 40M
- Menu : UTC



1.747.000T

41 TG-IPC-DW4114-F4-mic



- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 4 Megapixels
- Metal & Medium Case . IP66
- Warm Light . 40M
- Menu : UTC



1.739.000T

42 TG-IPC-BW4652-F4-mic



- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 4 Megapixels
- Metal & Dome Case . IP66
- Warm Light . 40M
- Menu : UTC



1.739.000T



**NEW
PRODUCT**

Model : BULLET IP 180KM

MOTORIZED

Resolution : 2MP

پلاک خوان

مدل

مشخصات محصولات

قیمت

43 TG-IPC-BW5661-F5-mic

fullcolor 4.0MP MEGAPIXEL

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 4 Megapixels
- Metal & Large Case . IP66
- Warm Light . 50M
- Menu : UTC



2.220.000T

44 TG-IPC-BW5667-F5-mic

fullcolor 4.0MP MEGAPIXEL

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 4 Megapixels
- Metal & Large Case . IP66
- Warm Light . 50M
- Menu : UTC



2.225.000T

45 TG-IPC-BW5651-F5-mic

fullcolor 5.0MP MEGAPIXEL

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 5 Megapixels
- Metal & Medium Case . IP66
- Warm Light . 40M
- Menu : UTC



2.229.000T

46 TG-IPC-BW5652-F5-mic

fullcolor 5.0MP MEGAPIXEL

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 5 Megapixels
- Metal & Medium Case . IP66
- Warm Light . 40M
- Menu : UTC



2.233.000T

47 TG-IPC-BW5114-F5-mic

fullcolor 5.0MP MEGAPIXEL

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 5 Megapixels
- Metal & Dome Case . IP66
- Warm Light . 40M
- Menu : UTC



2.237.000T

48 TG-IPC-BW5111-F5-mic

fullcolor 5.0MP MEGAPIXEL

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 5 Megapixels
- Metal & Dome Case . IP66
- Warm light . 40M
- Menu : UTC



2.241.000T

49 TG-IPC-BW5770-F5-mic

Large Case fullcolor 5.0MP MEGAPIXEL

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 5 Megapixels
- Metal & Medium Case . IP66
- Warm Light . 40M
- Menu : UTC



2.387.000T

50 TG-IPC-BW5992-F5-mic

Large Case fullcolor 5.0MP MEGAPIXEL

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 25 fp/s
- Resolution : 5 Megapixels
- Metal & Medium Case . IP66
- Warm Light . 40M
- Menu : UTC



2.657.000T

51 TG-IPC-BW5661-L-mic

fullcolor 5.0MP MEGAPIXEL

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 30 fp/s
- Resolution : 5 Megapixels
- Metal & Bullet Case . IP66
- Warm Light . 40M
- Menu : UTC



3.755.000T



09301072339
041-35562599



dorbinhosseyni



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کوهه دکتر نوائی
روبروی مسجد قلعه بیگی
شرکت تسهیل گستران امن

مدل

مشخصات محصولات

قیمت

52 TG-IPC-BW5667-L-mic

fullcolor 5.0MP

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 30 fp/s
- Resolution : 5 Megapixels
- Metal & Bullet Case . IP66
- Warm Light . 40M
- Menu : UTC



3.759.000T

53 TG-IPC-DW5117-L-mic

fullcolor 5.0MP

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 30 fp/s
- Resolution : 5 MegaPixels
- Metal & Dome Case . IP66
- Warm Light . 40M
- Menu : UTC



3.768.000T

54 TG-IPC-DW5114-L-mic

fullcolor 5.0MP

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 30 fp/s
- Resolution : 5 Megapixels
- Metal & Dome Case . IP66
- Warm Light . 40M
- Menu : UTC



3.775.000T

55 TG-IPC-BW5651-L-mic

fullcolor 5.0MP

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 30 fp/s
- Resolution : 5 Megapixels
- Metal & Large Case . IP66
- Warm Light . 50M
- Menu : UTC



3.779.000T

56 TG-IPC-BW5652-L-mic

fullcolor 5.0MP

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 30 fp/s
- Resolution : 5 Megapixels
- Metal & Medium Case . IP66
- Warm Light . 50M . WDR
- Menu : UTC



3.781.000T

57 TG-IPC-BW5654-L-mic

fullcolor 5.0MP

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 30 fp/s
- Resolution : 5 Megapixels
- Metal & Medium Case . IP66
- Warm Light . 40M . WDR
- Menu : UTC



3.785.000T

58 TG-IPC-BW5770-L-mic

Large Case fullcolor 5.0MP

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 30 fp/s
- Resolution : 5 Megapixels
- Metal & Large Case . IP66
- Warm Light . 50M . WDR
- Menu : UTC



3.973.000T

59 TG-IPC-BW5992-L-mic

Large Case fullcolor 5.0MP

- 1/2.9" Image Sensor
- Lens : 3.6 mm 5MP Starlight
- Frame : 30 fp/s
- Resolution : 5 Megapixels
- Metal & Large case . IP66
- Warm Light . 50M . WDR
- Menu : UTC



4.296.000T



09301072339
041-35562599



dorbinhosseyni



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کوهه دکتر نوازی
روبروی مسجد قلعه بیگی
شرکت تسهیل گستران امن

مدل

مشخصات محصولات

قیمت

60 TG-XVR-N5104-4CH-5MP-265X



- Channel : 4CH
- Audio : 4
- Processor : Novatek
- Resolution : 5Megapixels
- Hybrid : IP + Analog
- P2P : XMEYE
- VGA,HDMI,FULL HD,BNC Video Output / Face & Motion Detection



3.665.000T

61 TG-XVR-N5108-8CH-5MP-265X



- Channel : 8CH
- Audio : 4
- Processor : Novatek
- Resolution : 5Megapixels
- Hybrid : Analog + IP
- P2P : XMEYE
- VGA,HDMI,FULL HD,BNC Video Output / Face & Motion Detection




4.450.000T

62 TG-XVR-N5216-16CH-5MP-265X



- Channel : 16CH
- Audio : 1
- Processor : Novatek
- Resolution : 5Megapixels
- Hybrid : Analog + IP
- P2P : XMEYE
- VGA,HDMI,FULL HD,BNC Video Output / Face & Motion Detection




8.470.000T

63 TG-XVR-N5232-32CH-5MP-265X



- Channel : 32CH
- Audio : 4
- Processor : Novatek
- Resolution : 5Megapixels
- Hybrid : Analog + IP
- P2P : XMEYE
- VGA,HDMI,FULL HD,BNC Video Output / Face & Motion Detection




Call

64 TG-NVR-8110-10CH-8MP-4K



- Channel : 10CH / 10 Audio
- Play Back ; 4K(1)/5M(1)/4M(2)/3M(3)/1080P(4)
- 60Mbps
- 1 SATA (Up to 14TB for each disk)
- VGA , HDMI full HD
- P2P Support : IOS , Android App (XMeye) PC Software(CMS)
- Human shape / Face & Motion Detection , car Shape Detection



4.127.000T

65 TG-NVR-8116-16CH-8MP-4K



- Channel : 16CH / 16 Audio
- Play Back ; 4K(1)/5M(1)/4M(2)/3M(3)/1080P(4)
- 240Mbps
- 2 SATA (Up to 14TB for each disk)
- VGA , HDMI full HD
- P2P Support : IOS , Android App (XMeye) PC Software(CMS)
- Human shape / Face & Motion Detection , car Shape Detection




5.051.000T

66 TG-NVR-8236-36CH-8MP-4K



- Channel : 36CH / 32 Audio
- Play Back ; 4K(1)/5M(1)/4M(2)/3M(3)/1080P(4)
- 240Mbps
- 2 SATA (Up to 14TB for each disk)
- VGA , HDMI full HD
- P2P Support : IOS , Android App (XMeye) PC Software(CMS)
- Human shape / Face & Motion Detection , car Shape Detection



11.088.000T

مدل	مشخصات محصولات	قیمت
67 Switching 10A Power Supply	- Model : PL-12V-10A - Ac INPUT : 110/220V - Dc OUTPUT : 12V 10A	546.000T
68 Switching 15A Power Supply	- Model : PL-12V-10A - Ac INPUT : 110/220V - Dc OUTPUT : 12V 15A	608.000T
69 Switching 20A Power Supply	- Model : PL-12V-10A - Ac INPUT : 110/220V - Dc OUTPUT : 12V 20A	800.000T
70 Switching 30A Power Supply	- Model : PL-12V-10A - Ac INPUT : 110/220V - Dc OUTPUT : 12V 30A	970.000T
71 Hotcam 2A CCTV Adaptor	- Voltage : 12V - AMPER : 2A - Body Material : Plastic	176.000T
72 Cam Box 14*14		69.000T
73 جعبه 15*10		44.000T
74 Cam Box 14*14 لولایی		85.000T
75 کابل شبکه	- Cable type : network cable CAT6 / SFTP - Length : 500 m - Material : Plain Copper / SFTP / Twisted Pair / 4pair	58.500T
76 کابل شبکه	- Cable type : network cable CAT6 / UTP - Length : 305 m - Material : Plain Copper / UTP / Twisted Pair / 4pair	40.000T



09301072339
041-35562599



dorbinhosseyini



Tashil_gostaran_amn
Tgat_ir
Hotcam.ir



041-35562599
041-35571904



تبریز-سه راه امین-کوه دگر لاهی
روبروی مسجد قلعه بیگی
شرکت کسپیل گستران امن

مدل	مشخصات محصولات	قیمت
-----	----------------	------

77 POE INJECTOR



130.000T

78 POE SPLITER



262.000T

79 BNC ConnectorB



20.800T

80 BNC ConnectorA



23.800T

**NEW
PRODUCT**

Offline AVR UPS

Model : P1000L

Capacity : 1000VA , 0.6pf

Input : 220Vac , 6A , 50Hz

Output : 220Vac , 3.5A , 50Hz

DC Voltage : 24 VDC

